

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	132	probabilit\$3 same (determin\$3 or predict\$3 or anticipat\$3) same (potential or target or candidat\$3) same (director\$3 or structur\$3 or sub-director\$3 or subdirector\$3 or sub-structur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:31
S2	7	S1 and (file\$1) same (histor\$3 or access\$3 or activit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:26
S3	204	probabilit\$3 same (potential or target or candidat\$3) same (director\$3 or structur\$3 or sub-director\$3 or subdirector\$3 or sub-structur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:32
S4	0	S3 and (tree\$1 or hierarch\$4) same (director\$3 or sub-director\$3) same (access\$3 or travers\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:33
S5	2341	(tree\$1 or hierarch\$4) same (director\$3 or sub-director\$3) same (access\$3 or travers\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:34
S6	944	(tree\$1 or hierarch\$4) with (director\$3 or sub-director\$3) with (access\$3 or travers\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:34
S7	98	(tree\$1 or hierarch\$4) with (director\$3 or sub-director\$3) with file\$1 near (access\$3 or travers\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:37
S8	16	"5276874".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:39
S9	1	"6148294".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:41

S10	2	("6571231").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:45
S11	2	("5091852").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:41
S12	0	("(navigat\$3ortravers\$3oraccess\$3 same(cost\$1orpric\$3)same(node\$ 1ordirector\$3)").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:46
S13	2318	(navigat\$3 or travers\$3 or access\$3) same (cost\$1 or pric\$3) same (node\$1 or director\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:47
S14	15	S13 and (comput\$3 or figur\$3 or calculat\$3) same (navigat\$3 or travers\$3) near (cost\$1 or price\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 10:58
S15	1	S3 and (penalt\$3 or punish\$4) same exponential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:50
S16	0	probabil\$5 and (target near director\$3) and (file\$1 near (access\$3 or activiti\$3)) and (penalt\$3 or punish\$4) same exponential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:52
S17	0	probabil\$5 and (target near director\$3) and (file\$1 with (access\$3 or activiti\$3)) and (penalt\$3 or punish\$4) same exponential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:53
S18	8	assign\$3 same probabil\$5 same utilit\$3 same (multipl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:55

S19	1	assign\$3 same probabil\$5 same utilit\$3 same (multipl\$3) same (target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:54
S20	3	(pluralit\$3 or multipl\$3) same node\$1 same (sum\$3 or add\$5) same utilit\$3 same target	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 09:57
S21	2	decision-theoretic and probabilistic and target same (director\$3 or sub-director\$3 or structur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 10:14
S22	701	707/1-10,100-104.1.ccls. and (probabili\$5 and (file\$1 same (histor\$3 or activit\$3 or access\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 10:16
S23	62	707/1-10,100-104.1.ccls. and (probabili\$5 same (file\$1 same (histor\$3 or activit\$3 or access\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 10:17
S24	12	709/218,223.ccls. and (probabili\$5 same (file\$1 same (histor\$3 or activit\$3 or access\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 10:17
S25	0	probabilit\$5 and (target near node\$1 or director\$3) same (access\$3 or histor\$3 or activit\$3) and (comput\$3 or figur\$3 or calculat\$3) same (navigat\$3 or travers\$3) near (cost\$1 or price\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 10:59
S26	6	(target near node\$1 or director\$3) same (access\$3 or histor\$3 or activit\$3) and (comput\$3 or figur\$3 or calculat\$3) same (navigat\$3 or travers\$3) near (cost\$1 or price\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 11:02
S27	9	file\$1 same (access\$3 or histor\$3 or activit\$3) and (comput\$3 or figur\$3 or calculat\$3) same (navigat\$3 or travers\$3) near (cost\$1 or price\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 11:03

S28	16	file\$1 same (access\$3 or histor\$3 or activit\$3) and (navigat\$3 or travers\$3) near (cost\$1 or price\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 11:03
S29	2	("6549896").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/06 11:44
S30	5	target same probabiliti\$3 same utilit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:03
S31	54	target and probabiliti\$3 and utilit\$3 and director\$3 same (stor\$3 or sav\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:27
S32	1	(target and probabiliti\$3 and utilit\$3 and director\$3 same (stor\$3 or sav\$3)) and file\$1 same location\$1 same search\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/04 18:20
S33	4	(target and probabiliti\$3 and utilit\$3 and director\$3 same (stor\$3 or sav\$3)) and file\$1 same location\$1 same (search\$3 or access\$3 or quer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/04 18:20
S34	15	(target and probabiliti\$3 and utilit\$3 and director\$3 same (stor\$3 or sav\$3)) and file\$1 and location\$1 and (search\$3 or access\$3 or quer\$3) and (tree\$1 or hierarch\$4) same (travers\$3 or navigat\$3 or manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/04 18:25
S35	1	(probabiliti\$3 or predict\$3) same director\$3 same activit\$3 same (file with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/04 18:26
S37	569	(probabiliti\$3 or predict\$3) same (comput\$3 or comput\$3 or calculat\$3) and (charg\$3 or cost\$1) and (director\$3) same (activit\$3 or access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/04 18:34

S38	76	(probability\$3 or predict\$3) same (compute\$3 or compute\$3 or calculate\$3) and (charge\$3 or cost\$1) same (director\$3) same (activity\$3 or access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/04 18:36
S39	2639	bowman.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/04 18:36
S40	904	continuous\$1 same (change\$3 or update\$3 or modify\$4) same (monitor\$3) same (file\$1 or module\$1 or product\$1 or software\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:37
S41	50	continuous\$1 with (change\$3 or update\$3 or modify\$4) with (monitor\$3) with (file\$1 or module\$1 or product\$1 or software\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:32
S42	1445	(continuous\$1 with (change\$3 or update\$3 or modify\$4) with (monitor\$3) with (file\$1 or module\$1 or product\$1 or software\$1)) or (continuous\$1 same inventor\$3 same (file\$1 or product\$1 or software or module\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:34
S43	1396	(continuous\$1 same inventor\$3 same (file\$1 or product\$1 or software or module\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:34
S44	251	(continuous\$1 same inventor\$3 same (change\$3 or update\$3 or add\$3 or delete\$3 or modify\$4) same (file\$1 or product\$1 or software or module\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:35
S45	35	((continuous\$1 same inventor\$3 same (change\$3 or update\$3 or add\$3 or delete\$3 or modify\$4) same (file\$1 or product\$1 or software or module\$1))) and (database or repository\$3 or data near base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:35
S46	178	continuous\$1 same (change\$3 or update\$3 or modify\$4) same (monitor\$3) same (file\$1 or module\$1 or product\$1 or software\$1) and (database or repository\$3 or data near base)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:42

S47	68	(continuous\$1 same (chang\$3 or updat\$3 or modif\$4) same (monitor\$3) same (file\$1 or modul\$1 or product\$1 or software\$1)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:46
S48	1	(continuous\$1 same (chang\$3) same (monitor\$3) same (file\$1 or modul\$1 or product\$1 or software\$1) same database).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:46
S49	13	(continuous\$1 same (chang\$3) same (monitor\$3) same (file\$1 or modul\$1 or product\$1 or software\$1) same database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/09/05 09:46
S50	3	("6549896").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/11 18:36
S51	46	cost\$1 same (travers\$3 or navigat\$3) same director\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:05
S52	8	cost\$1 same (travers\$3 or navigat\$3) same file\$1 same director\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:06
S53	0	cost\$1 same (travers\$3 or navigat\$3) and file\$1 same director\$3 same (utilit\$3 or usag\$3) same (predict\$3) same access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:08
S54	5	cost\$1 and file\$1 same director\$3 same (utilit\$3 or usag\$3) same (predict\$3) same access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:09
S55	2	"6148294".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:10
S56	6	file\$3 same director\$3 and navigation near cost\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:12

S57	32	(probability\$3 or predict\$3) same director\$3 and activity\$3 same (file with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:11
S58	0	S57 and file\$3 same director\$3 and navigation near cost\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:12
S59	0	S57 and director\$3 and navigation near cost\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:12
S60	0	S57 and director\$3 and navigation with cost\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:12
S61	31	S57 and director\$3 and cost\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:13
S62	0	S57 and director\$3 and (navigation\$1 or travers\$3) same cost\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:13
S63	410	director\$3 and (navigation\$1 or travers\$3) same cost\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:14
S64	43	file\$1 same director\$3 and (navigation\$1 or travers\$3) with cost\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:14
S65	34	S64 and minim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:16
S66	69	S63 and (optim\$8 or minim\$4 or short\$4) with rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:17

S67	60	(probabiliti\$3 or predict\$4) and utiliti\$3 and director\$3 same (frequen\$4) same access\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:31
S68	39	S67 and cost\$1 same (minim\$3 or optim\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/13 13:29